

nobonobo[®]

Collection
of fabrics for easy cleaning

SOFIA | easy cleaning fabric



Fabric type: chenille fabric
Composition: 54.9% PES; 38.5% AC; 6.6% VI
Weight: 341 g / m² ± 5%
Thread displacement: warp 4.3 mm / weft 2.5 mm
Other: easy-to-clean fabric
Martindale test: > 100,000
Friction resistance: dry 4 / wet 3/4
Tear strength: warp 97 N / weft 92 N
Tensile strength: warp 1267 N / weft 570 N
Lightfastness: 5/6
Pilling: 4/5
Cleaning:



SOFIA 1



SOFIA 2




SOFIA 3




SOFIA 4



SOFIA 5



SOFIA 6



SOFIA 7



SOFIA 8



SOFIA 9




SOFIA 10




SOFIA 11




SOFIA 12




SOFIA 13



SOFIA 14



SOFIA 15



SOFIA 16



SOFIA 17



SOFIA 18



SOFIA 19



SOFIA 20



SOFIA 21



SOFIA 22



SOFIA 23



SOFIA 24



SOFIA 25



SOFIA 26



SOFIA 27

Napoli | easy cleaning fabric



Fabric type: velor fabric
Composition: 100% PES
Weight: 360 g/m² ± 5%
Thread displacement: warp 3-4 mm / weft 3-4 mm
Other: easy-to-clean fabric
Martindale test: > 70,000
Friction resistance: dry 3/4 / wet 3/4
Tear strength: warp 175 N / weft 160 N
Tensile strength: warp 1000 N / weft 1200 N
Lightfastness:: 4/5
Pilling: 4
Cleaning:



NAPOLI 1




NAPOLI 2



NAPOLI 3



NAPOLI 4



NAPOLI 5



NAPOLI 6



NAPOLI 7



NAPOLI 8




NAPOLI 9




NAPOLI 10



NAPOLI 11



NAPOLI 12



NAPOLI 13




NAPOLI 14




NAPOLI 15



NAPOLI 16




NAPOLI 17




NAPOLI 18



NAPOLI 19



NAPOLI 20



NAPOLI 21



NAPOLI 22



NAPOLI 23



NAPOLI 24



NAPOLI 25




NAPOLI 26




NAPOLI 27

CAMELEON | easy cleaning fabric



Fabric type: chenille fabric
Composition: 62.3% AC, 29.1% PES, 4.7% VI, 3.9% LN
Weight: 429 g/m² ± 5%
Width: 140 cm ± 2 cm
Thread displacement: 3,2 mm / 2,9 mm
Test martindale: 40 000
Other: easy-to-clean fabric
Friction resistance: dry 4 / wet 3/4
Tear strength: warp > 80 N / weft > 51 N
Tensile strength: warp > 1606 N / weft > 452 N
Lightfastness: 5
Pilling: 4/5
Cleaning:




CAMELEON 1




CAMELEON 2




CAMELEON 3




CAMELEON 4




CAMELEON 5



CAMELEON 6




CAMELEON 7




CAMELEON 8



CAMELEON 9



CAMELEON 10



CAMELEON 11



CAMELEON 12



CAMELEON 13



CAMELEON 14














CAMELEON 15

GLAM VELVET | easy cleaning fabric




Fabric type: velveteen
Composition: 100% PES
Weight: 483 g/m² ± 5%
Width: 140 ± 2 cm
Thread displacement: warp 2,5 mm / weft 3,1 mm
Martindale test: 47 000
Friction resistance: dry 4 / wet 3/4
Tear strength: warp 58 N / weft 37 N
Tensile strength: warp 1040 N / weft 1134 N
Lightfastness: 4/5
Pilling: 4/5
Cleaning:



CABRERA | easy cleaning fabric



Fabric type: chenille fabric
Composition: 53% polyester, 40% acrylic, 7% viscose
Weight: 380 g/m² ± 5%
Width: 140 ± 2 cm
Thread displacement: warp 3,2 mm / weft 3,9 mm
Test martindale: 35 000
Friction resistance: dry 4 / wet 3/4
Wytrzymałość na rozdarcie: warp 65 N / weft 45 N
Odporność na światło: 5
Pilling: 4/5
Cleaning:



CABRERA 1



CABRERA 2



CABRERA 3



CABRERA 4



CABRERA 5



CABRERA 6



CABRERA 7




CABRERA 8


ETNA | easy cleaning fabric




Fabric type: chenille fabric
Composition: 54% PES, 39% AC, 7% WI
Weight: 360 g/m² ± 5%
Width: 140 ± 2 cm
Thread displacement: warp 3 mm / weft 3,7 mm
Test martindale: 35 000
Friction resistance: dry 4 / wet 3/4
Tear strength: warp 131 N / weft 104 N
Tensile strength: warp 1040 N / weft 890 N
Pilling: 4/5
Cleaning:



ROJA | easy cleaning fabric



Fabric type: chenille fabric
Composition: 56% AC, 39% PES, 5% VI
Weight: 460 g/m² ± 5%
Width: 140 ± 2 cm
Thread displacement: osnowa 2,8 mm / wątek 3,4 mm
Martindale test: 35 000
Friction resistance: dry 4 / wet 3/4
Tear strength: warp 214 N / weft 76 N
Tensile strength: warp 750 N / weft 700 N
Lightfastness: 5
Pilling: 4/5
Cleaning:




ROJA 1



ROJA 2



ROJA 3



ROJA 4



ROJA 5



ROJA 6



ROJA 7




ROJA 8

VIENTO | easy cleaning fabric



Fabric type: chenille fabric
Composition: 23% CO, 13% II, 12% VI, 52% PES
Weight: 350 g/m² ± 5%
Szerokość: 140 ± 2 cm
Thread displacement: warp 3,8 mm / wet 3,8 mm
Martindale test: 35 000
Friction resistance: dry 4/5 / na mokro 4/5
Tear strength: warp 65,1 N / weft 35,8 N
Tensile strength: warp 1549,4 N / weft 616,2 N
Lightfastness: 5
Pilling: 3/5
Cleaning:



VIENTO 01



VIENTO 02



VIENTO 03



VIENTO 04



VIENTO 05



VIENTO 06



VIENTO 07

VEDRA | easy cleaning fabric



Fabric type: chenille fabric
Composition: 56% AC, 39% PES, 5% VI
Weight: 465 g/m² ± 5%
Width: 140 ± 2 cm
Thread displacement: osnowa 2,7 mm / wątek 2,6 mm
Martindale test: 35 000
Friction resistance: dry 4 / wet 3/4
Tear strength: warp 238 N / weft 79 N
Tensile strength: warp 800 N / weft 800 N
Lightfastness: 5
Pilling: 4/5
Cleaning:



VEDRA 01



VEDRA 02



VEDRA 03



VEDRA 04



VEDRA 05



VEDRA 06




VEDRA 07



VEDRA 08

PERSEMPRA 04 | easy cleaning fabric



Composition: 100% PL
Weight: 650 gr/mtb
Martindale test:1 65 000 bardzo wysoki > 45 000
Color fastness to light (1/8 scale): 7
Color fastness to rubbing (1/5 scale): dry 4.5, wet 4.5
Pilling: test (skala 1/5) 4,5
Cleaning:



PERSEMPRA 401



PERSEMPRA 402




PERSEMPRA 403



PERSEMPRA 404



PERSEMPRA 405



PERSEMPRA 406



PERSEMPRA 407



PERSEMPRA 408



PERSEMPRA 409



PERSEMPRA 410



PERSEMPRA 411



PERSEMPRA 412



PERSEMPRA 413



PERSEMPRA 414



PERSEMPRA 415



PERSEMPRA 416



PERSEMPRA 417



PERSEMPRA 418



PERSEMPRA 419



PERSEMPRA 420



PERSEMPRA 421



PERSEMPRA 422



PERSEMPRA 423



PERSEMPRA 424



PERSEMPRA 425



PERSEMPRA 426



PERSEMPRA 427




PERSEMPRA 428

FAVOLA | easy cleaning fabric



Composition: 100 PL
Gramatura: 575 gr/mtb
Color fastness to light (1/8 scale): 5/6
Color fastness to rubbing (1/5 scale): dry 4/5, wet 4/5
Pilling: test (skala 1/5) 5
Cleaning:




FAVOLA 1



FAVOLA 2




FAVOLA 3




FAVOLA 4




FAVOLA 5



FAVOLA 6



FAVOLA 7



FAVOLA 8



FAVOLA 9



FAVOLA 10



FAVOLA 11



FAVOLA 12




FAVOLA 13



FAVOLA 14



FAVOLA 15



FAVOLA 16



FAVOLA 17



FAVOLA 18



FAVOLA 19



FAVOLA 20



FAVOLA 21



FAVOLA 22



FAVOLA 23



FAVOLA 24




FAVOLA 25




FAVOLA 26



FAVOLA 27



FAVOLA 28



FAVOLA 29




FAVOLA 30

TOKYO | easy cleaning fabric



Composition: 100% PL
Weight: 672 gr/mtb
Martindale test: 100.000 cykli
Color fastness to light (1/8 scale): 4/5
Color fastness to rubbing (1/5 scale): dry> 5, wet> 5
Pilling: test (scale 1/5) >5
Cleaning:



TOKYO T2




TOKYO T 3




TOKYO T 4




TOKYO T 6




TOKYO T 9




TOKYO T 10



TOKYO T14




TOKYO T60




TOKYO T101



TOKYO T102



TOKYO T108



TOKYO T109



TOKYO T110




TOKYO T111




TOKYO T112



TOKYO T114



TOKYO T115



TOKYO T118



TOKYO T119



TOKYO T120



TOKYO T122



TOKYO T160



TOKYO T161



TOKYO T162




TOKYO T182




TOKYO T183



TOKYO T184



TOKYO T188



TOKYO T189









TOKYO T190

SPIRIT I easy cleaning fabric



Fabric type: chenille fabric
Composition: 100% PES
Weight: 461 gr/m2
Thread displacement: warp: 5 thread 5,6 UNE PR EN ISO 13936-2 (mm)
Martindale test: > 95.000 cyklů UNE EN ISO 12947
Tensile strength: Warp: 665.00 - Weft: 849.00 UNE EN ISO 13934-1
Pilling: 5 UNE EN ISO 12945-2



AMARAL I easy cleaning fabric



Composition: 96% PES, 4% CO
Gramatura: 551 gr/mtb
Thread displacement : < 4 (BS 3320) - < 6 (DIN 53868)
Martindale test: 60000 cykli UNE EN ISO 12947
Tensile strength: > 350N (ISO 13934-1)
Pilling: 5 UNE EN ISO 12945-2

Cleaning:



AMARAL 10



AMARAL 271



AMARAL 300



AMARAL 305



AMARAL 314



AMARAL 324



AMARAL 347



AMARAL 348



AMARAL 349



AMARAL 395



AMARAL 407



AMARAL 51



AMARAL 56



AMARAL 60



AMARAL 710



AMARAL 790

BELLAGIO I easy cleaning fabric



Kompozycja włókien: 100% POLIESTER
Weight: 404 gr / imt
Thread shifting: Warp: 2.9 Weft: 3.0 PR EN ISO 13936-2 (mm)
Friction resistance:> 100,000 cycles UNE EN ISO 12947
Tensile strength: Warp: 1310.00 - Weft: 1356.00 UNE EN ISO 13934-1
Pilling: 5 UNE EN ISO 12945-2

Czyszczenie:



BELLAGIO 01



BELLAGIO 08



BELLAGIO 105



BELLAGIO 11



BELLAGIO 13



BELLAGIO 131



BELLAGIO 14



BELLAGIO 156



BELLAGIO 213



BELLAGIO 242



BELLAGIO 245



BELLAGIO 248



BELLAGIO 271



BELLAGIO 28



BELLAGIO 300



BELLAGIO 321



BELLAGIO 324



BELLAGIO 355



BELLAGIO 451



BELLAGIO 50



BELLAGIO 503



BELLAGIO 514



BELLAGIO 515




BELLAGIO 59



BELLAGIO 62



BELLAGIO 65



BELLAGIO 68



BELLAGIO 80



BELLAGIO 81




BELLAGIO 82

NURIEL I easy cleaning fabric




Composition: 68% PES, 22% MAC, 10% CO
Weight: 482 gr/mtb
Thread displacement: < 4 (BS 3320) - < 6 (DIN 53868)
Martindale test: 60000 cyklů UNE EN ISO 12947
Tensile strength:> 350N (ISO 13934-1)
Pilling: 5 UNE EN ISO 12945-2
Cleaning:




NURIEL 10



NURIEL 300



NURIEL 271




NURIEL 28




NURIEL 30



NURIEL 324




NURIEL 305




NURIEL 90



NURIEL 314




NURIEL 32




NURIEL 342




NURIEL 347



NURIEL 60




NURIEL 341




NURIEL 395




NURIEL 407




NURIEL 348



NURIEL 349



NURIEL 790




NURIEL 732




NURIEL 51



NURIEL 56



NURIEL 795



NURIEL 710















MYSTIC I easy cleaning fabric



Composition: 100% PES
Weight: 450 gr/m2
Thread displacement: Osnowa: 4,5 / Wątek: 4,7
Martindale test > 200,000 cycles UNE EN ISO 12947
Tensile strength: Warp:> 600 - Weft:> 600 UNE EN ISO 13934-1
Piling: 5 no pilling (ISO DIS 12945-2)





 MYSTIC 01	 MYSTIC 03	 MYSTIC 05	 MYSTIC 07
 MYSTIC 08	 MYSTIC 11	 MYSTIC 12	 MYSTIC 13
 MYSTIC 15	 MYSTIC 18	 MYSTIC 313	 MYSTIC 32
 MYSTIC 21	 MYSTIC 61	 MYSTIC 105	 MYSTIC 112
 MYSTIC 38	 MYSTIC 131	 MYSTIC 136	 MYSTIC 144
 MYSTIC 114	 MYSTIC 187	 MYSTIC 213	 MYSTIC 214
 MYSTIC 161	 MYSTIC 252	 MYSTIC 311	 MYSTIC 56
 MYSTIC 250	 MYSTIC 373	 MYSTIC 51	 MYSTIC 50
 MYSTIC 324	 MYSTIC 62	 MYSTIC 64	 MYSTIC 104
 MYSTIC 52	 MYSTIC 503	 MYSTIC 514	 MYSTIC 59
 MYSTIC 66	 MYSTIC 387	 MYSTIC 395	 MYSTIC 68
 MYSTIC 69	 MYSTIC 603	 MYSTIC 602	 MYSTIC 73
 MYSTIC 510	 MYSTIC 65		


MASALA I easy cleaning fabric



Composition: 95% PL 5% CO
Weight: 910 g/m2
Martindale test: 100 000
Piling: 4/5
Color fastness: 4/5
Dry friction resistance: 4/5
Wet friction resistance: 4
Cleaning:



MASALA 1




MASALA 2



MASALA3



MASALA 4




MASALA 5



MASALA 6



MASALA 7



MASALA 8



MASALA 9




MASALA 10




MASALA 11



MASALA 12



MASALA 13



MASALA 14



MASALA 16



MASALA 17



MASALA 18



MASALA 19



MASALA 20



MASALA 21



MASALA 22



MASALA 23



MASALA 24



MASALA 25



MASALA 27



MASALA 28



MASALA 29



MASALA 30



MASALA 31







MASALA 15



MASALA 26

ILEO I easy cleaning fabric

Composition 58% CO 42% PL
Weight: 690
Martindale test: 100 000
Odporność na piling: 5
Color fastness: 4/5
Dry friction resistance: 4/5
Wet friction resistance: 4/5




GREEN I easy cleaning fabric



Composition: 70%rPES 30%PES
Weight: 580g/m2+/-5%
Thread displacement: Warp: 3 / weft: 3
Odpornośćna ścieranie: 75 000 cykli UNE EN ISO 12947
Martindale test: > 1501 N(21,3%)warp 1344 N (25,4%) weft) (ISO 13934-1)
Pilling resistance: 4 no pilling (EN ISO 1294-2: 2002)
Color fastness: artificial light: ISO 105 B02
Dry friction resistance: 4-5 ISO 105-x12: 2001
Wet friction resistance: 4-5 ISO 105-x12: 2001
Cleaning:



GREEN 1



GREEN 11



GREEN 16



GREEN 24



GREEN 38



GREEN 58




GREEN 59



GREEN 75




GREEN 77



GREEN 78




GREEN 79




GREEN 92



GREEN 93




GREEN 94



GREEN 99

MOLIA I easy cleaning fabric




Composition: 68% polyamide, 29% polyester, 3% viscose
Weight: 577g/m2 ± 5%
Thread displacement: warp: 2,3 / weft: 2,8
Martindale test: 50 000 cycles (category A)
Tensile strength: Warp 2465N / Weft 705 N
Pilling resistance: 4/5
Lightfastness: 5




MOLIA 01




MOLIA 02



MOLIA 03



MOLIA 04




MOLIA 05



MOLIA 06



MOLIA 07



MOLIA 08



MOLIA 09



MOLIA 10



MOLIA 11



MOLIA 12




MOLIA 13



MOLIA 14

ELIOT easy cleaning fabric



Composition: 59% recycled polyester, 41% polyester
Weight: 440 g/m² ± 5%
Martindale test: 100 000
Pilling resistance: 5
Lightfastness: : 5
Color fastness strength - dry: 5
Color fastness strength - wet: 4/5



ELIOT 2



ELIOT 4



ELIOT 8



ELIOT 12




ELIOT 5



ELIOT 6



ELIOT 18



ELIOT 19



ELIOT 13



ELIOT 14



ELIOT 9



ELIOT 10




ELIOT 16



ELIOT 20






ELIOT 21



ELIOT 22






ADEL easy cleaning fabric

Composition:75% recycled polyester, 25% polyester
Weight: 370 g/m²
Martindale test: 50 000
Odporność na piling: 5
Pilling resistance: 5/5
Color fastness strength - dry: 4
Color fastness strength - wet: 3/4








DROP easy cleaning fabric

Composition: 100% polyester
Weight: 390 g/m²
Martindale test: 50 000
Pilling resistance:: 4
Color fastness to light: 4/5
Color fastness strength - dry: 4
Color fastness strength - wet: 4





ONDA easy cleaning fabric

Composition: 100% polyester
Weight: 381 g/m²
Martindale test: 50 000
Pilling resistance: 4/5
Color fastness to light: 5
Color fastness strength - dry: 4
Color fastness strength - wet: 3/4



BUGIA easy cleaning fabric

Composition: 100% polyester
Weight: 350 g/m²
Martindale test: 60 000 - 68 000
Pilling resistance: 4
Color fastness to light: 5
Color fastness strength - dry: 4-5
Color fastness strength - wet: 4



BUGIA 03



BUGIA 11



BUGIA 19



BUGIA 77



BUGIA 01



BUGIA 08



BUGIA 84



BUGIA 85



BUGIA 89



BUGIA 93

nobonobo[®]

Other collection

* easy cleaning fabrics - NO

ELSANTA fabric



Composition: 35% WO, 35% PC, 23%PL, 7%CO
Weight: 640 g/m²
Martindale test: 40 000
Pilling resistance: 3/4
Color fastness to light: 5/6



ELSANTA 21



ELSANTA 22



ELSANTA 4



ELSANTA 24



ELSANTA 5



ELSANTA 25



ELSANTA 12




ELSANTA 23



ELSANTA 17

GRIMA fabric



Composition: 100% polyester
Weight: 480 g/m²
Martindale test: 76 000 - 84 000
Pilling resistance: 4-5
Color fastness to light: 5
Color fastness strength - dry: 5
Color fastness strength - wet: 4-5



GRIMA 02



GRIMA 09



GRIMA 54



GRIMA 70



GRIMA 80



GRIMA 85



GRIMA 94



GRIMA 98



GRIMA 99


BILBO fabric




Composition: 100% polyester
Weight: 430 g/m²
Martindale test: 45 000 - 50 000
Pilling resistance: 4-5
Color fastness to light: 5
Color fastness strength - dry: 4-5
Color fastness strength - wet: 4-5



BILBO 01



BILBO 90



BILBO 93



BILBO 78



BILBO 74

MAGNUS fabric



Composition: 100% polyester
Weight: 520 g/m²
Martindale test: 90 000 - 100 000
Pilling resistance: 4
Color fastness to light: 5
Color fastness strength - dry: 5
Color fastness strength - wet: 5



MAGNUS 01




MAGNUS 05



MAGNUS 06




MAGNUS 08




MAGNUS 20

TRIS fabric




Composition: 100% RECYCLED polyester
Weight: 430 g/m²
Martindale test: 45 000 - 50 000
Pilling resistance: 4-5
Color fastness to light: 5
Color fastness strength - dry: 4-5
Color fastness strength - wet: 4-5




TRIS 01



TRIS 03



TRIS 16



TRIS 83



TRIS 92

TRECCIA



Composition: 57% PL 43% VI
Gramatura: 650 gr/mtb
Martindale test > 100 000)
Color fastness to light (1/8 scale): 4/5
Color fastness to rubbing (1/5 scale): dry 4/5, wet 4
Pilling: test (1/5 scale) 3/4
Cleaning:



TRECCIA 01




TRECCIA 02



TRECCIA 03




TRECCIA 04




TRECCIA 19



TRECCIA 06



TRECCIA 07



TRECCIA 08



TRECCIA 09




TRECCIA 10




TRECCIA 11



TRECCIA 12



TRECCIA 13



TRECCIA 14




TRECCIA 15



TRECCIA 16



TRECCIA 17



TRECCIA 18

SPIGA

Composition: 30% VI 70% PL
Weight: 712
Odpornośćna ścieranie: 100 000
Martindale test: 5
Color fastness: 4/5
Dry friction resistance: 4/5
Wet friction resistance: 4/5

